

Day & Night™

Heating & Cooling Products

Comfort Every Hour, Every Season™



■ ■ CONSTANT COMFORT™
VS 95 Variable-Speed Two-Stage
Gas Furnace



CONSTANT COMFORT™

VS 95 Variable-Speed Two-Stage Gas Furnace

Day & Night™

Heating & Cooling Products



Consistent comfort. Unlike single-stage furnaces—which heat up fast and shut down fast, going from too hot to too cold—the Constant Comfort™ VS 95 delivers consistent heat and overall comfort. The two-stage system operates at low heat most of the time and automatically modulates to higher heat production if the temperature drops. Run the high efficiency fan continuously to improve indoor air quality. The variable-speed motor can also help increase comfort by maximizing moisture removal¹ during cooling (air conditioner) operation.

¹Used with a humidity-sensing thermostat or dehumidistat.

Welcome quiet. The variable-speed motor is much quieter than conventional motors during increase and decrease of heat. Solid doors, fully insulated cabinet, and a burner enclosure also contribute to the remarkably quiet operation of this furnace.

Every Day & Night unit is backed by exceptional warranties, including our No Hassle Replacement™ limited warranty*, which gives you a replacement unit if the heat exchanger should fail within the first ten years. You also get up to a 10 year[†] parts limited warranty* and a lifetime limited warranty* on the stainless steel heat exchanger. And don't forget to ask your dealer about HELP® extended service agreements for additional worry-free protection for parts and labor coverage.

*See published warranty for complete details. To learn more about all of these limited warranties, including the No Hassle Replacement limited warranty, go to DayandNightComfort.com.

[†]Subject to conditions. Ten year warranty requires timely registration. See detailed additional information on back page and Warranty Certificate at DayandNightComfort.com for complete details.



At 95% AFUE¹, the Constant Comfort VS 95 takes fuel efficiency to the highest level. The patented RPJ® III heat exchanger is the key. Made of weld-free stainless steel for exceptional durability, the integrated ripple-edged design forces more heat to the outside surface area to increase efficiency and save energy. At lower speeds, the variable-speed motor also adds savings on electrical power.

¹AFUE stands for Annual Fuel Utilization Efficiency

Higher AFUE Equals Greater Energy Savings



The difference is Day & Night.



1. Reliable
Direct Hot Surface Ignition System features an advanced silicon nitride igniter for greater reliability.



2. Durable
R97® III primary heat exchanger has a ripple-edged design that forces more heat to the outside surface for higher efficiencies. Made of corrosion-resistant, weld-free stainless steel.



4. Quiet
Variable-speed circulation blower motor is prelubricated, dynamically balanced and resilient mounted to reduce vibration and noise.



3. Heating On Demand
Two-stage redundant gas valve, two-speed induced draft blower assembly, and variable-speed motor modulate up smoothly when more heat is needed.



5. System Monitoring
State-of-the-art electronic controls monitor system operation for faster, easier system diagnostics.

PURE COMFORT FOR ALL SEASONS.

Day & Night Heating & Cooling Products recommends a complete integrated system to maximize comfort and efficiency.






- Humidifier** enhances comfort by reducing dryness in the air.
- Air Cleaner** filters out many indoor air pollutants so the air in your home is cleaner.
- Set-Back Thermostat** allows you to customize heating and cooling levels and also save energy.
- Furnace** is designed for maximum comfort and high efficiency and built rugged for years of operation.
- Air Conditioner** keeps your home cool and comfortable while saving on energy.
- Evaporator/Indoor Coil** matches your Day & Night air conditioner and furnace to ensure great performance.
- UV Lights** help prevent the growth of microbes on the coils.



CONSTANT COMFORT™

VS 95 Variable-Speed Two-Stage Gas Furnace

MAINLINE MODELS

Day & Night Gas Furnace Comparison	DLX 80	IIS 80	VS 80	DLX 90	DLX 95	IIS 90	VS 90	VS 95
MODEL SERIES	C8MPN/ C8MPL/ C8DNL	C8MPT	C8MPV	C9MPD	C9MPX	C9MPT	C9MPV	C9MVX
ENERGY SAVINGS AFUE RATING*	80%	80%	80%	 92%	 95%	 92%	 92%	 95%
HEAT EXCHANGER WARRANTY*	20YR	25YR	25YR	LIFE TIME	LIFE TIME	LIFE TIME	LIFE TIME	LIFE TIME
NO HASSLE REPLACEMENT™ Limited Warranty	1YR	5YR	10YR	1YR	1YR	5YR	10YR	10YR
PARTS WARRANTY*	10YR	10YR	10YR	10YR	10YR	10YR	10YR	10YR
RPJ® III HEAT EXCHANGER Patented weld-free construction	●	●	●	●	●	●	●	●
VARIABLE-SPEED ECM CIRCULATION BLOWER MOTOR Quiet, even airflow	○	○	●	○	○	○	●	●
TWO-STAGE OPERATION Self-adjusting heat modes	○	●	●	○	○	●	●	●

*Many models earn the ENERGY STAR®. Ask your contractor for details or visit www.energystar.gov.

*AFUE stands for Annual Fuel Utilization Efficiency. Higher number = Greater efficiency.

*This Day & Night product carries a ten (10) year limited warranty on parts, including compressor and coils, to original homeowner if installed in an owner-occupied, single-family residence and properly registered within ninety (90) days after original installation. Otherwise, the parts warranty period is five (5) years from the date of installation. Heat exchangers may carry longer limited warranty coverage that applies to original homeowners with timely registration. (See Warranty Certificate for registration instructions. Registration not required in all jurisdictions.)

All systems tested and listed by the appropriate agencies.



ISO 9001:
2000 Registered

As part of its commitment to quality, International Comfort Products, LLC, reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are only representative. Some product models may vary.

C9MVX Series
©2009 International Comfort Products, LLC



Comfort Every Hour, Every Season™

PO Box 128
Lewisburg, TN 37091

DayandNightComfort.com

Part No. 440-44-2024-06
Revised 11/09